

SERVICE MANUAL

ASSINKU

DC Integrated Stereo Amplifier

NOTES

- 1. In this manual, 0 dB is referenced to 1V.
- 2. A Parts marked with this sign are safety critical components. They must always be replaced with identical components refer to the appropriate parts list and ensure exact replacements.
- 3. PC boards shown are viewed from foil side.

1 SPECIFICATIONS

Power Output

35 Watts per channel minimun RMS, both channels

driven at 8 ohms.
Total Harmonic Distortion

AUX input to SPEAK 0.3% (20---20kHz, at

35W+35W Output Power)

Frequency Response

25 Hz to 32 kHz 0/-3dB

Input sensitivity/Impedance

Phono 2---4mV/47 kohm

Tuner, CD/AUX, TAPE 80---120mV/47kohm

Signal-to-Noise Ratio (IEC-A)

Phono 65dB

Tuner, CD/AUX, Tape 87dB

Output level/Impedance

Tape REC 80---120mV/47kohm

Tone Control

Bass +/-10dB at 100Hz

Trable +/-10dB at 10kHz

Loudness Control

+8dB at 100Hz (at -30dB VOLUME level)

High Filter

-6dB at 10kHz

Power Requirement

110/220V AC, 50/60Hz, 160W (General Export)

120V AC, 60Hz, 160W (USA/CANADA)

220V AC, 50Hz, 160W (Europe)

240V AC, 50Hz, 160W (UK/Australia)

Dimensions

435×90×300 mm (17½" × 3½" × 11½")

Weight

5.7kg (12.5lbs.)


• Improvements may result in specifiction or feature changes without notice.

2 VOLTAGE CONVERSION


(FOR GENERAL EXPORT MODELS ONLY)

AC VOLTAGE SELECTION

This unit operates on 110 volts or 220 volts AC. Before connecting the power cord to your AC outlet, make sure that the setting position of this switch matches your line voltage. If not, it must be set to your voltage in accordance with the following direction.




3 BLOCK DIAGRAM




4. IC BLOCK DIAGRAM


LC7815 Equivalent Circuit Block Diagram




Pin Assignment



STK4171II Equivalent Circuit Diagram



LA6458D (TA75558P) Equivalent Circuit Diagram





A-X35mkI

5.WIRING DIAGRAM


AC 220V 50Hz (VDE)


AC240V 50Hz (UK, AUSTRALIA)













6 SCHEMATIC DIAGRAM





А-Х35мк**I**I


8 EXPLODED VIEW PARTS LIST

REF. NO.	PARTS NO.	DESCRIPTION	REMARKS
1.	E-WI-010-00	Power supply cord, SAA	
	E-WI-008-00	Power supply cord, EX	
	E-WI-009-00	Power supply cord, VDE	
	E-WI-011-00	Power supply cord, UK	1
	E-WI-012-00	Power supply cord, UL/CSA	
2.	E-PT-008-00	Power transformer, VDE	
2.	E-PT-009-00	Power transformer, EX	
	E-PT-010-00	Power transformer, UL/CSA	
	E-PT-011-00	Power transformer, UK/SAA	
	F-PN-009-00	Rear panel, VDE	
3.		Rear panel, UK/SAA	
	F-PN-010-00	Rear panel, EX	
	F-PN-011-00	Rear panel, UL/CSA	
	F-PN-012-00	Rubber feet	
4.	F-RB-006-00	Side chassis, Left	
5.	F-CH-014-00	Power SW P.C.B. ass'y	
6.	Z-SD-015-00		
7.	E-JK-016-00	Headphone jack	
8.	Z-SB-016-00	Speaker select P.C.B. ass'y	
9.	Z-SB-014-00	Tone control P.C.B. ass'y	
10.	Z-SB-011-00	VR/SW P.C.B. ass'y	
11.	Z-SB-013-00	Volume P.C.B. ass'y	
12.	A-IC-021-00	IC, STK-4171MKV	
13.	E-JK-011-00	Speaker jack PJ-208AS	
14.	E-JK-007-00	RCA jack PJ-204NP	
15.	E-JK-009-00	RCA jack PJ-206NP	
16.	F-AL-015-00	Heat sink, Power IC	
17.	F-CH-013-00	Front chassis, A-X35MK2	
18.	Z-SB-018-00	LED P.C.B. ass'y	
19.	P-FR-010-00	Power switch frame	
20.	S-NT-003-00	H/P jack nut	
21.	S-WA-006-00	H/P washer	
22.	S-NT-004-00	VR nut	
23.	S-WA-004-00	VR washer	
24.	F-XT-003-00	Himelon colth, (M)	
25.	P-KB-013-00	Push SW knob	
26.	P-FR-012-00	Push SW frame	
27.	F-XT-002-00	Himelon cloth (S)	
28.	F-XT-004-00	Himelon cloth (L)	
29.	F-CH-015-00	Side Chassis, right	
30.	Z-SB-012-00	Function P.C.B. ass'y	
30.	P-FR-011-00	Function SW frame	
32.	F-XT-008-00	Function SW spring	
1	P-KB-025-00	Function SW knob	
33.	Z-SB-001-00	Main P.C.B. ass'y	
34.		AL. panel A-X35MK2	
35.	F-AL-008-00		
36.	P-KB-010-00	VR knob, (M)	
37.	P-KB-009-00	VR knob, (S)	
38.	P-KB-011-00	VR knob, (L)	
39.	E-JK-012-00	AC and bushes	
40.	P-RB-003-00	AC cord busher	
41.	E-SW-013-00	Voltage select switch 110/220	
42.	P-RB-009-00	Earth screw	
43.	F-CH-012-00	Top chassis	
44.	F-ST-003-00	Button sheet	
45.	S-TB-003-00	Screw T/R 3×8 (B)	
46.	S-CZ-001-00	Screw T/CRS 3×6	
47.	S-MZ-003-00	Screw M/B 4×8	
48.	S-MB-001-00	Screw M/R 3×6 (B)	
49.	S-CZ-003-00	Screw T/CRS 3×10	
50.	S-TB-005-00	Screw T/R 3×15 (B)	
51.	S-SH-002-00	Screw holder M-4	
52.	S-MB-005-00	Screw M/R 4×6 (B) w/washer	
53.	K-XK-006-00	Owner's manual, A-X35MK2	
54.	K-PL-003-00	Side pack	
55.	K-PB-001-00	Ploy-bag, body	
56.	K-CT-015-00	Inner carton, A-X35MK2	
57.	K-CT-014-00	Outer carton, A-X35MK2	
		·	

10

9 PC BOARD AND PARTS LIST

9.1 MAIN AMP PCB





А-Х35мкⅡ

REF. NO.	PARTS NO.	DESCRIPTION
IC301, IC304	A-IC-001-00	IC, LA 6458DS
IC302	A-IC-011-00	IC, LC7815
IC303	A-IC-002-00	IC, LC4066
Q101, Q201, Q301	A-TR-008-00	Transistor, 2SA935
Q303	A-TR-011-00	Transistor, 2SC2061
Q308	A-TR-009-00	Transistor, 2SD1043
Q309	A-TR-010-00	Transistor, 2SB1033
Q310	A-TR-008-00	TRANSISTOR 2SA935
Q501, Q601	A-TR-003-00	Transistor, 2SD734/2SC2120
Q301	A-TR-006-00	Transistor, 2SC536/2SC945
Q702	A-TR-005-00	
D101, D201	A-DO-005-00	Transistor, 2SA608/2SA733
D305		Diode, IN4148
	A-DO-013-00	Diode, IN4002
D306,D307	A-DO-005-00	Diode, IN4148
D315, D316, D317	A-DO-013-00	Diode, IN4002
D318	A-DO-006-00	Diode, IN60
D319, D320, D321, D322	A-DO-012-00	Diode, IN5402
D325	A-DO-005-00	Diode, IN4148
ZD301, ZD302	A-DO-002-00	Zener Diode 12V
ZD701, ZD702	A-DO-001-00	Zener Diode 6.2V
C101, C201	C-CM-030-10	Ceramic Capacitor 270P
C102, C202	C-EC-005-60	Elec Capacitor 1µ/50V
C103, C203	C-CM-025-10	Ceramic Capacitor 100P
C104, C204	C-CM-028-10	Ceramic Capacitor 180P
C105, C205	C-EC-009-40	Elec. Capacitor 10μ/25V
C106, C206	C-ML-012-10	Mylar, 0.0082µ/50V
C107, C207	C-ML-005-10	Mylar, 0.0022µ/50V
C108, C208	C-EC-010-40	Elec. Capacitor 22µ/25V
C109, C209	C-CM-030-10	Ceramic Capacitor 270P
C110, C210	C-EC-008-40	Elec. Capacitor 4.7µ/25V
C111, C211	C-CM-030-10	Ceramic Capacitor 240P
C112, C212	C-EC-008-40	Elec. Capacitor 4.7µ/25V
C115, C215	C-CM-030-10	Ceramic Capacitor 270P
C116, C216	C-EC-008-40	Elec. Capacitor 4.7µ/125V
C123, C223	C-CM-029-10	Ceramic Capacitor 220P
C124, C224	C-CM-013-10	Ceramic Capacitor 10P/50V
C125, C225	C-ML-016-10	•
C126, C226	C-ML-024-10	Mylar, 0.018µ/50V
C127, C227	C-ML-004-10	Mylar, 0.082µ/50V
C128, C228		Mylar, 0.0018µ/50V
C131, C231	C-ML-013-10	Mylar, 0.01 µ/50V
C132, C232	C-CM-033-10	Ceramic Capacitor 470P
C133, C233	C-EC-008-40	Elec. Capacitor 4.7μ/25V
C134, C234	C-CM-025-10	Ceramic Capacitor 100
0.00	C-EC-013-40	Elec. Capacitor 100μ/25V
	C-CM-025-10	Ceramic Capacitor 100P
C136, C236	C-EC-012-60	Elec. Capacitor 47μ/50V
C137, C237	C-ML-025-10	Mylar, 0.1µ/50V
C138, C238	C-ML-018-10	Mylar, 0.027μ/50V
C301, C302	C-EC-016-30	Elec. Capacitor 470µ/16V
0303	C-CM-049-10	Elec. Capacitor 0.01 µ/50V
2304	C-EC-006-60	Elec. Capacitor 2.2µ/50V
C306, C307	C-CM-049-10	Elec. Capacitor 0.01 µ/50V
308	C-EC-009-49	Elec. Capacitor 10µ/25V
309	C-EC-008-40	Elec. Capacitor 4.7µ/25V
2310	C-EC-018-30	Elec. Capacitor 2200µ/16V
315	C-ML-025-10	Mylar, 0.1µ/50V
316, C317, C318	C-EC-009-60	Elec. Capacitor 10µ/50V
2319	C-EC-013-60	Elec. Capacitor 100µ/50V
320	C-EC-005-60	Elec. Capacitor 1#50V
322	C-CM-049-40	Ceramic Capacitor 0.01 \(\mu 500 \text{V} \)
323	C-EC-009-60	Elec Capacitor 10,µ/50V
326, C329	C-EC-013-30	Elec. Capacitor 100µ/36V
328, C329	C-EC-020-60	Elec. Capacitor-470µ/50V
330 C331	C-CM-049-40	
333, C334	C-EC-012-60	Ceramic Capacitor 0.01 µ/500V
340	C-EC-009-40	Elec. Capacitor 47µ/50V
501, C60I		Elec. Capacitor 10µ/25V
\$301, E601 \$301, F\$302	C-EC-008-40	Elec. Capacitor 4.7µ/25V
	E-FU-011-00	FUSE, 3.5A GMA
J-301	E-JK-009-00	RCA Jack, PJ-206NP
J-302	E-JK-007-00	RCA Jack, PJ-204NP
302	E-JK-011-00	Speaker Jack PJ-208AS
⁰ -1 ~ JP-5	F-JP-002-00	Jumper Wire, 6m/m
01 -L103, L201 -L203	F-JP-002-00	Jumper Wire, 6m/m
05. L205	F-JP-002-00	Jumper Wire, 6m/m
1 ~M6	FJP-003-00	Jumper Wire, 10m/m
7	F-JP-004-00	Jumper Wire, 12m/m
8~W13	F-JP-003-00	Jumper Wire, 10m/m
		p

REF. NO.	PARTS NO.	DESCRIPTION	_
W15	F-JP-004-00	Jumper Wire, 12m/m	
W16	F-JP-005-00	Jumper Wire, 15m/m	
W17~W21	F-JP-003-00	Jumper Wire, 10m/m	
W22, W23, W24	F-JP-004-00	Jumper Wire, 12m/m	
W25, W26 W27	F-JP-003-00 F-JP-004-00	Jumper Wire, 10m/m Jumper Wire, 12m/m	
W28 ~ W35	F-JP-003-00	Jumper Wire, 12m/m	
W36	F-JP-005-00	Jumper Wire, 15m/m	
W37 ~ W40	F-JP-003-00	Jumper Wire, 10m/m	
W41, W42	F-JP-004-00	Jumper Wire, 12m/m	
W701	F-JP-003-00	Jumper Wire, 10m/m	
CN-1	P-CN-003-00	Connector Base 4P	
CN-2	P-CN-004-00	Connector Base 5P	
CN-3	P-CN-001-00	Connector Base 2P	
R101, R201	R-CB-042-20	Carbon Resistor 1/4W 2.7K	
R102, R202	R-CB-057-20	Carbon Resistor 1/4W 47K	
R103, R203 R104, R204	R-CB-029-20	Carbon Resistor 1/4W 220 OHM	
R105, R205	R-CB-038-20 R-CB-069-20	Carbon Resistor 1/4W 1.2K Carbon Resistor 1/4W 470K	
R106, R206	R-CB-055-20	Carbon Resistor 1/4W 33K	
R107, R207	R-CB-057-20	Carbon Resistor 1/4W 47K	
R108, R208	R-CB-037-20	Carbon Resistor 1/4W 1K	
R109, R209	R-CB-042-20	Carbon Resistor 1/4W 2.7K	
R110, R210	R-CB-058-20	Carbon Resistor 1/4W 56K	
R111, R211	R-CB-042-20	Carbon Resistor 1/4W 2.7K	
R112, R212	R-CB-058-20	Carbon Resistor 1/4W 56K	
R115, R215	R-CB-042-20	Carbon Resistor 1/4W 2.7K	
R116, R216	R-CB-058-20	Carbon Resistor 1/4W 56K	
R117, R217	R-CB-041-20	Carbon Resistor 1/4W 2.2K	
R127, R227 R128, R228	R-CB-042-20 R-CB-043-20	Carbon Resistor 1/4W 2.7K	
R129, R229	R-CB-054-20	Carbon Resistor 1/4W 3.3K Carbon Resistor 1/4W 27K	
R103, R230	R-CB-044-20	Carbon Resistor 1/4W 3.9K	
R131, R231	R-CB-046-20	Carbon Resistor 1/4W 5.6K	
R132, R232	R-CB-038-20	Carbon Resistor 1/4W 1.2K	
R134, R234	R-CB-037-20	Carbon Resistor 1/4W 1K	
R134, R235	R-CB-052-20	Carbon Resistor 1/4W 18K	
R136, R236	R-CB-035-20	Carbon Resistor 1/4W 680 OHM	
R137, R237	R-CB-052-20	Carbon Resistor 1/4W 18K	
R138, R238	R-CB-041-30	Carbon Resistor 1/2W 2.2K	
R139, R239	R-CB-041-30	Carbon Resistor 1/2W 2.2K	
R140, R240 R141, R241	R-MR-001-40 R-XR-009-00	Metal Resistor, 1W 4.7 OHM	
R142, R242	R-CB-029-20	Cement Resistor, 3W 0.22 OHM Carbon Resistor, 1/4W 220 OHM	
R143, R243	R-CB-040-20	Carbon Resistor 1/4W 1.8K	
R144, R244	R-CB-056-20	Carbon Resistor 1/4W 39K	
R146, R246	R-CB-040-30	Carbon Resistor 1/4W 220 OHM	
R301, R302	R-CB-033-20	Carbon Resistor 1/4W 470 OHM	
R303, R304	R-CB-065-20	Carbon Resistor 1/4W 220K	
R305, R306	R-CB-057-20	Carbon Resistor 1/4W 47K	
R307, R309	R-CB-057-20	Carbon Resistor 1/4W 47K	
R313, R314	R-CB-049-20	Carbon Resistor 1/4W 10K	
R315 R316 ~ R319	R-CB-073-20 F-JP-004-00	Carbon Resistor 1/4W 1M	
R321	R-CB-025-20	Jumper Wire, 12m/m Carbon Resistor 1/4W 100 OHM	
R322, R323	R-CB-037-20	Carbon Resistor 1/4W 1K	
R324	R-CB-025-20	Carbon Resistor 1/4W 100 OHM	
R325	R-CB-049-20	Carbon Resistor 1/4W 10K	
R326	R-CB-066-20	Carbon Resistor 1/4W 270K	
R327	R-CB-063-20	Carbon Resistor 1/4W 150K	
R328	R-CB-056-20	Carbon Resistor 1/4W 39K	-
R329	R-MR-005-40	Metal Resistor 1W 1K	- 1
R330	R-CB-046-20	Carbon Resistor 1/4W 5.6K	
R341 R342	R-CB-008-20	Metal Resistor, 1W, 5.6K	
R343	R-CB-037-20 R-CB-045-20	Carbon Resistor 1/4W 1K	
R344	R-MR-003-40	Carbon Resistor 1/4W 4.7K	
R345	R-CB-037-20	Metal Resistor, 1W 220 OHM Carbon Resistor 1/4W 1K	
R346	R-CB-045-20	Carbon Resistor 1/4W 4.7K	
R347	R-MR-003-40	Carbon Resistor 1W 220 OHM	
R350	R-CB-049-20	Carbon Resistor 1/4W 10K	
R351	R-CB-051-20	Carbon Resistor 1/4W 15K	
R352	R-XB-002-40	Carbon Resistor 1W 120 OHM	-
R501, R601	R-CB-057-20	Carbon Resistor 1:4W 47K	
R502, R602	R-CB-043-20	Carbon Resistor 1/4W 3.3K	
R503, R603 R701 ~R703	R-CB-061-20	Carbon Resistor 1/4W (00K	
R704	R-CB-053-20 R-CB-037-20	Carbon Resistor 1/4VV 22K Carbon Resistor 1/4VV 1K	
R705	R-CB-049-20	Carbon Resistor 1/4W 10K	
			J

12






FC-10 VOLUME P.C.B. **©** VOLUME VR30I F-PC-014-03

VR301

E-VR-016-00

Volume P.C.B. A-X36 VR, RK16312AE412-250KB .. 2-RK

9.5 TONE CONTROL PCB



Bass/Treble FC-5 FC-6

E-PC-014-04 E-VR-014-00 W-PA-004-00 W-PA-003-00

Tone control PC.B. A-X36 VB RK163121B006-100KC × 2-RK Pallal wire, 6p, 300m/m Pailal wire, 6p, 255m/m

E-PC-014-02 A-LD-004-00 D301-D303 D304 A-LD-012-00 A-DO-001-00 ZD303 R-CB-037-00 R310 R311 R312 R-CB-041-00 SW301-SW304 E-SW-011-00 W-CN-029-00 FC-1 FC-2 W-CN-028-00 Function P.C.B. A-x36 LED, L-562-GD LED, 2 - 5 ORG Zener dio IA 6 3V Carbon resistor, 1/4W, 1k Carbon recistor, 1/4W, 2.2k Ruck SVV. SKHHAR2510-RK Connector wire, 4p. 250m/m Connector wire, Sp. 190m/m

9.8 HEADPHONE PCB




J301

E-PC-014-07 E-JK-016-00

H/P PC.B. A-X36 Headphone jack. DHX-600

9.6 POWER SW PCB



E-PC-014-05 E-SW-001-00 Power SW C-XC-004-00 SPK-1


Power SW PC B Power Sw, SDDLB1027U-RK

Sparl-killer, 0.005µ/500V (General Export) Sparl-killer, 0.0047µ/500V (Europe/UK/Aus.)

Spari-killer, 0.01 µ 250V (USA/Canada)

E-PC-014-08 A-LD-012-00 W-CN-030-00 LED PC.B. A-X36 LED 2×5 ORG Connector wire, 2p, 230m/m

9.7 SPEAKER SW PCB



E-PC-014-01 E-VR-015-00 VR302 SW305/SW306 E-SW-007-00 C-ML-009-10 C120,C220 C121,C221 C-CM-029-10 C122,C223 C-ML-016-10 R120,R220 R-CB-041-20 R-CB-061-20 B121 B221 R-CB-037-20 B122 B222 R-CB-058-20 R123,R223 B124,R224 R-CB-053-20 R125,R225 R-CB-037-20 R-CB-037-20 R126,R226 W-PA-002-00 FC-3 √/-PA-001-00 FC -4 W-PA-005-00 FC-10

VR/SW P.C.B. A-X36 VR, RK163121A069-250KMN-RK Push SW. SPUF24AE01-RK Mylar, 0.0047µ(50V(J) Ceramic, 220p/50V Mylar, 0.018µ/50V (K) Carbon resistor, 1/4W, 2.2K Carbon resistor, 1/4W, 100K Carbon resistor, 1/4W, 1K Carbon resistor, 1/4W, 56K Carbon resistor, 1/4W, 22K Carbon resistor, 1/4W, 1K Carbon resistor, 1/4W, 1K Pallal wire, 3p, 200m/m Palial wire, 3p, 110m/m Pallal wire, 10p, 80m/m